

5

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR NON-PROVISIONAL PATENT

10

BE IT KNOWN THAT I, Christian L. Durr, a resident of the State of California and citizen of the United States of America, have invented a certain new and useful improvement in a Pendulum System for Producing Light and Power, of which the following is a specification.

15

REFERENCE TO RELATED APPLICATION

This application claims the benefit under 35 USC 119 (e) of the provisional patent application Serial No. 60/459,042, filed April 1, 2003, which is herein incorporated by reference in its entirety.

20

BACKGROUND OF THE INVENTION

The present invention is directed to a novel use of pendulum type device, such as a pendulum clock, for the purpose of generating supplemental power and light, or  
25 LED related special effects.

The gravity powered pendulum clock has existed for many centuries, and a representative example thereof appears in U.S. Patent No. 3,290,874 (1966) to Koplar, entitled Gravity Pendulum Clock Escapement.

Similar principles have been employed in other structures to power clock dials,  
30 chimes, moving signs, and the like, as is reflected in U.S. Patent No. 4,455,094 (1994) to Russell, entitled Motion Apparatus. The use of oscillatory motion, particularly wave motion, for the generation of electrical energy has been suggested in U.S. Patent No. 4,260,901 (1981) to Woodbridge, entitled Wave Operated Electrical Generation System. The use of vibratory motion to produce electrical energy is suggested by U.S. Patent No.

5 5,578,877 (1966) to Tiemann, entitled Apparatus for Converting Vibratory Motion to  
Electrical Energy. An apparatus for the conversion of linear motion to electrical energy  
is taught in U.S. Patent No. 5,818,132 (1998) to Konopchick, entitled Linear Motion  
Electric Power Generator.

The present invention is directed to a means of utilizing angular and linear motion  
10 associated with a pendulum clock as a source of supplemental energy and to power for  
special lighting effects such as LEDs associated with the clock itself.

5

SUMMARY OF THE INVENTION

The angular rotation associated with a gravity pendulum clock is employed as a potential source of electrical energy while linear motion associated therewith is captured to provide a further energy and light generating means.

10

It is an objective of the present invention to widen of the use of energy associated with the pulling of the chain of weighted elements associated with a gravity pendulum clock such that, as said weight drops, its movements, both angular and linear relative to the gears of the clock (often termed a cuckoo clock) will drive a small generator or solenoid to provide supplemental sources of electrical power and,

15

therewith, power to a light emitting diode or other means associated therewith.

Its therefore another object to provide a system by which a gravity powered pendulum clock can provide a power source to night lights, closet lights, gardens, tents and emergency lighting needs.

20

A yet further object of the invention to provide a system which may be used in combination with a wind turbine such that, in the absence of wind, supplemental power may be supplied to the turbine during what would otherwise constitute down time of the system.

It is another object to provide a system of the above type capable of charging rechargeable batteries and capacitors.

25

It is still further object to provide a system to which serve as a source of supplemental lighting for cabins not having power, and for emergency lighting therein.

It is still further object to provide a system of the above type to enhance the use of wind power into related areas such as the pumping of liquids.

30

Another object is to provide a system of the above type for integration into a transistor radio for the purposes of providing power thereto.

5           The above and yet other objects and advantages of the invention will become apparent from the herein after set forth Brief Description of the Drawings and Detailed Description of the Invention.

5

BRIEF DESCRIPTION OF THE DRAWINGS

Shown in Fig. 1 is a front view of a clockwork or escapement of a basic gravity pendulum clock to which the present invention relates, showing a first embodiment of the invention.

10

In Fig. 2 is shown a second embodiment thereof.

In Fig. 3 is shown a third embodiment of the inventive gravity operated electrical energy generating means.

5

DETAILED DESCRIPTION OF THE INVENTION

In Fig. 1 is shown the essential mechanical elements of a gravity pendulum clock escapement, often termed a cuckoo clock 10.

Said clock includes a suitable train of clock gears including driving gear 24 which is mounted upon an axle 25; a driven gear 18 which is mounted upon axle and axle gear 10 19 which in turn drives gear 22 which is journalled upon axle 23. Said driven gear 18 also drives axle gear 17 and, thereby gear 16. Pendulum clock 10 is started by pulling chain 23 and, with it, associated weight 26. This will cause the clockwise rotation of said gear 24 and the downward linear travel of weight 26. By pulling chain 27 downward, weight 26 is lifted such that the potential energy of gravity will power the above 15 described gear train consisting of gears 16, 18, 22 and 24. More particularly, as weight 26 advances downward in Direction B, gear 25 will rotate gear 18 which in turn will rotate pendulum gear 20 and axle 21 of pendulum 30. Also gear 28 will cause the counter clockwise rotation of turbine 16 which is a part of an electrical generator. That is, windings 32 of such generator that will generate electricity and transmit the same to an 20 element 12 which may comprise either a battery or a light such as an LED.

In Fig. 2 is shown a further embodiment of the invention in which the part of chain 27 to which weight 26 is attached is provided with a ferromagnetic core 34 which is connected to a weight 26 by means 29. A helical winding 36 is permitted to slide linearly, upwardly and downwardly relative to core 34 such that small amount of 25 electricity are generated as the wires of coil 36 break the lines of magnetic flux of the magnetic core 34. Electricity so generated is carried by wires 38 to a battery or light source 40 which may be employed for any of the above set forth purposes of the present invention.

A further embodiment of the invention is shown in Fig. 3. Therein magnetic core 30 134 is held stationery relative to chains 127 and 129 while coil 136 is secured by means

5 142 to a wall 144. Thereby, as weight 26 advances downward in Direction B lines  
electromagnetic flux of core 134 will be broken by stationery coil 136 and, thereby,  
electricity provided through wires 138 to a light battery, or other external device as set  
forth above.

In summary, the incremental angular reciprocation of pendulum 30 caused, by  
10 the gear action of the clock escapement, is transmitted to the windings of turbine 16 and,  
thereby, thru wires 14 to external energy or light source 12, while the linear motion  
associated with a progressive downward travel of weight 26 is converted into electrical  
energy through one of the solenoid-type arrangements set forth in Figs. 2 and 3 above.  
Thereby, the objects of the invention relative to the various uses and applications set  
15 forth in the objects of the invention above may be readily achieved without significant  
increase in the complexity of an otherwise conventional gravity pendulum clock.

While there has been shown and described the preferred embodiment of the instant  
invention it is to be appreciated that the invention may be embodied otherwise than is  
herein specifically shown and described and that, within said embodiment, certain changes  
20 may be made in the form and arrangement of the parts without departing from the  
underlying ideas or principles of this invention as set forth herewith.

25

30

35